


QUICK REFERENCE CHART - 200 SERIES BOXES

KRONE PART No.	Ref.	Low profile design	Including backmount frame	Including disconnect modules	Accommodates 'x' no. of pairs	Earthing	Cable management	Can accommodate protection	Removable side and end panels
6429/1/078/00	201D	✓	NO (CLIP IN)	✓	10	✓	✓	-	-
6429/1/076/00	201D	✓	NO (CLIP IN)	✓	20	✓	✓	-	-
6429/1/074/01	201D	-	NO (CLIP IN)	✓	20	✓	✓	-	-
6429/1/073/01	220	-	✓	-	30	✓	✓	✓	-
6525/1/022/00	250/5	-	✓	-	50	✓	-	-	✓
6525/1/024/00	250/7	-	✓	-	70	✓	-	-	✓
6525/1/027/00	251	-	✓	-	50	✓	✓	-	✓
6525/1/018/00	254B	-	No (PCB mounted)	✓	20	✓	✓	-	✓
6429/1/036/00	222	-	No (PCB mounted)	✓(244A)	6	✓	-	-	-

46-141 KRONE CONNECTION BOX 201D

Low profile plastic box accommodates up to 20 pairs or 2 LSA-PLUS® modules.




Description	Pack Qty	Product Dimension	KRONE Product No
20 pair 201D	1	170(H)x120(W)x43(D)	6429/1/076/00

46-142 KRONE CONNECTION BOX 220A

Deep lidded 200 series plastic box, designed to accommodate 3 LSA-PLUS® 10 pair modules. Suitable for use with protection magazine and ComProtect overvoltage protection.




 Use with protection magazine, ComProtect overvoltage protection - page 120

Description	Pack Qty	Product Dimension	KRONE Product No
220 Box with 3 way backmount frame, earth strip and earth bar	1	170(H)x120(W)x80(D)	6429/1/073/01

46-143 KRONE CONNECTION BOX 250/5

Plastic modular box, designed to accommodate up to 5 LSA-PLUS® 10 pair modules. Complete with removable side and end panels with cable knockouts.



Description	Pack Qty	Product Dimension	KRONE Product No
250/5 box including 1 backmount frame 5/11/5A and earthing	1	210(H)x160(W)x90(D)	6525/1/022/00

46-145 KRONE CONNECTION BOX 301A

Plastic modular box, for 100 pairs designed to accommodate 10 LSA-PLUS® 10 pair modules.



Description	Pack Qty	Product Dimension	BT Ref:	KRONE Product No
301A box including 1 backmount frame 5/30/10A equivalent and earthing	1	320(H)x210(W)x120(D)	Box Connexion 301A	6530/1/017/00

46-153 KRONE CONNECTION BOX 510

Lightweight steel box for up to 340 pairs, with removable or reversible hinged door, equipped to accommodate 34 LSA-PLUS® 10 pair modules. Including cable management.



Description	Pack Qty	Product Dimension	Weight	BT Ref:	KRONE Product No
Including 1 x 34 way backmount frame, jumper guides and rings and earth clamps	1	1000(H)x300(W)x130(D)	13kg	Box Connexion 510	6532/2/009/00



46-155 KRONE CONNECTION BOX 530 Mk.2

Lightweight steel box for up to 1020 pairs with removable or reversible hinged door, equipped to accommodate 102 LSA-PLUS* 10 pair modules. Including cable management.



Connection box 530

Description	Pack Qty	Product Dimension	Weight	BT Ref:	KRONE Product No
Including 3 x 34 way backmount frames, jumper guides and earth clamps	1	1000(H)x750(W)x130(D)	26kg	Box Connexion 530	6532/2/011/00

46-156 KRONE CONNECTION BOX 540

Lightweight steel box for up to 1360 pairs with removable or reversible hinged door, equipped to accommodate 136 LSA-PLUS* 10 pair modules. Including cable management.



Connection box 540

Description	Pack Qty	Product Dimension	Weight	KRONE Product No
Including 4 x 34 way backmount frame, jumper guides and rings and earth clamps	1	1000(H)x1000(W)x135(D)	31kg	6532/2/008/00